


combinazioni standard/
standard combinations

jetlag
Cédric Ragot



ARTICOLI/ARTICLES

jetlag - 2 pz/pcs

DIMENSIONI/DIMENSIONS

350 x 145 x 42 H




ARTICOLI/ARTICLES

jetlag chair - 4 pz/pcs

DIMENSIONI/DIMENSIONS

280 x 62 x 72 H




ARTICOLI/ARTICLES

jetlag - 2 pz/pcs

DIMENSIONI/DIMENSIONS

344 x 170 x 42 H




ARTICOLI/ARTICLES

jetlag - 2 pz/pcs

jetlag chair - 4 pz/pcs

DIMENSIONI/DIMENSIONS

630 x 145 x 72 H



ARTICOLI/ARTICLES

jetlag - 4 pz/pcs

DIMENSIONI/DIMENSIONS

434 x 434 x 42 H




ARTICOLI/ARTICLES

jetlag - 4 pz/pcs

jetlag chair - 5 pz/pcs

DIMENSIONI/DIMENSIONS

714 x 504 x 72 H




ARTICOLI/ARTICLES

jetlag - 4 pz/pcs

DIMENSIONI/DIMENSIONS

300 x 657 x 42 H



ARTICOLI/ARTICLES

jetlag - 6 pz/pcs

jetlag chair - 2 pz/pcs

DIMENSIONI/DIMENSIONS



778 x 375 x 72 H

jetlag chair

design Cédric Ragot




STRUTTURA/STRUCTURE



PE - Polietilene/Polyethylene
colore base/basic colour

6293



TESTS

Declaration of conformity issued by **CATAS**

Conforms to the mechanical and structural safety requirements of ANSI BIFMA X5.4-2012

Tests carried out as per:

ANSI-BIFMA X5.4-2012/14
ANSI-BIFMA X5.4-2012/15
ANSI-BIFMA X5.4-2012/17
ANSI-BIFMA X5.4-2012/21
ANSI-BIFMA X5.4-2012/7
ANSI-BIFMA X5.4-2012/5
ANSI-BIFMA X5.4-2012/8
ANSI-BIFMA X5.4-2012/6

GROSS WEIGHT:

kg 16

DETAILS:

Completo di kit di fissaggio/With Fixing kit

ACCESSORIES:

A4449
Sistema di fissaggio a terra/Ground fixing kit

A4601
Kit sabbia essiccata/Dried sand kit


jetlag chair light

design Cédric Ragot



STRUTTURA/STRUCTURE

PE - Polietilene/Polyethylene
colore base/basic colour



8293



GROSS WEIGHT:

kg 16

DETAILS:

Completo di kit di
fissaggio/With Fixing kit
**Necessita di 1 Kit Luce/
Needs 1 Light Kit**

ACCESSORIES:

A4449
Sistema di fissaggio
a terra/Ground fixing kit

KIT LUCE/LIGHT KIT

- A4183** kit luce LED per interni/*indoor LED light kit*
- A4689** kit luce LED naturale per interni
indoor natural LED light kit
- A4182** kit luce LED per esterni/*outdoor LED light kit*
- A4688** kit luce LED naturale per esterni
outdoor natural LED light kit
- A4721** kit luce LED RGB per interni con telecomando
indoor RGB LED light kit w/remote control
- A4723** kit luce LED RGB per interni
Indoor RGB LED light kit
- A4722** kit luce LED RGB per esterni con telecomando
outdoor RGB LED light kit w/remote control
- A4724** kit luce LED RGB per esterni
Outdoor RGB LED light kit
- A4307** kit luce LED RGB per interni/esterni con telec.
Indoor/outdoor RGB LED light kit w/remote control
- A4447** kit luce LED RGB per interni/esterni senza
trasformatore con telec./*Indoor/outdoor RGB LED
light kit without transformer w/remote control*

TESTS

Declaration of conformity issued by **CATAS**

Conforms to the mechanical and structural safety
requirements of ANSI BIFMA X5.4-2012

Tests carried out as per:

ANSI-BIFMA X5.4-2012/14
ANSI-BIFMA X5.4-2012/15
ANSI-BIFMA X5.4-2012/17
ANSI-BIFMA X5.4-2012/21
ANSI-BIFMA X5.4-2012/7
ANSI-BIFMA X5.4-2012/5
ANSI-BIFMA X5.4-2012/8
ANSI-BIFMA X5.4-2012/6